EPN 900
PRODUCT INFORMATION

■ SYSTEM TECHNOGOLY FOR THE DOOR

ECO

PANIC ROD HANDLES

F EN 1125

EPN 900

Description

The EPN 900 panic closing system consists of the components: rod handle, lock and counter fitting. They were tested and certified as a unit according to the standard EN 1125. The EPN 900 system thus combines the highest safety standards and absolute ease of use. In the object area it fulfils the highest requirements of modern and sophisticated architecture.

Performance features

- Tested according to EN 1125, EN 1634, DIN 4102 Part 18
- Usable according to EN 1125 only with tested lock and furniture
- Suitable for use on smoke resistant / fire inhibiting doors according to test
- DIN left / DIN right usable
- Max 1300 mm wing width

Surfaces:

Stainless steel

Aluminium:

- Steel zinc-plated and silver (F1) coated
- Gear unit: steel zinc-plated
- Tube: steel zinc-plated, silver (F1) coated
- Cover cap: nylon, silver (F1) coated
- Arms: nylon, silver (F1) coated, with integrated steel core

Nylon:

- Gear unit: steel zinc-plated
- Tube: steel zinc-plated, red lacquered
- Cover cap: nylon black matt
- Arms: nylon black matt with integrated steel core

ECO **Schulte GmbH & Co. KG** • Iserlohner Landstr. 89 • 58706 Menden • Phone +49 (23 73) 92 76 - 0 • Fax +49 (23 73) 92 76 - 40 • info@eco-schulte.de • www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - All changes reserved / 01.2011

PANIC ROD HANDLES





ECO **Schulte GmbH & Co. KG** • Iserlohner Landstr. 89 • 58706 Menden • Phone +49 (23 73) 92 76 - 0 • Fax +49 (23 73) 92 76 - 40 • info@eco-schulte.de • www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - All changes reserved / 01.2011